

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1046	372/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/22 07:49
L2	54	1 and laser near3 level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/22 07:48
L3	263	33/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/22 07:49
S2	135	laser near3 level and motor and laser near3 diode and rotat\$7 near3 shaft	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/22 07:47
S3	0	laser near3 level and motor and laser near3 diode and rotat\$7 near3 shaft and gyrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 13:51
S4	0	laser near3 level and motor and laser near3 diode and rotat\$7 and shaft and gyrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 13:51
S5	6	laser near3 level.ti. and motor and laser near3 diode and rotat\$7 near3 shaft	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 13:59
S6	11	laser near3 level.ti. and rotat\$7 near3 shaft	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 13:59
S7	5	(laser near3 level.ti. and rotat\$7 near3 shaft ) not (laser near3 level.ti. and motor and laser near3 diode and rotat\$7 near3 shaft )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 14:01
S8	0	((laser near3 level.ti. and rotat\$7 near3 shaft ) not (laser near3 level.ti. and motor and laser near3 diode and rotat\$7 near3 shaft )) and laser near3 diode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 14:01
S9	84	laser adj level\$1 same laser near3 diode\$1	US-PGPUB; USPAT	OR	OFF	2004/10/04 15:55
S10	24	(laser adj level\$1) same laser near3 diodes	US-PGPUB; USPAT	OR	OFF	2004/10/04 15:57
S11	0	(laser adj level\$1.ti.) same laser near3 diodes	US-PGPUB; USPAT	OR	OFF	2004/10/04 15:57

S12	49	(laser adj level\$1.ti.)	US-PGPUB; USPAT	OR	OFF	2004/10/04 16:01
S13	4	((laser adj level\$1.ti.) ) and laser near3 diodes	US-PGPUB; USPAT	OR	OFF	2004/10/04 16:02
S14	20	("2308635"   "3088451"   "3857639"   "3867764"   "3897637"   "4048489"   "4333242"   "4852265"   "4904081"   "4912851"   "4939863"   "4988193"   "5108177"   "5144487"   "5243398"   "5272814"   "5400514"   "5454168"   "5568265"   "5604987").PN.	USPAT	OR	OFF	2004/10/04 15:58
S15	15	((laser adj level\$1.ti.) ) and laser near3 diode\$1	US-PGPUB; USPAT	OR	OFF	2004/10/04 16:02
S16	165	(laser adj level\$1.ti.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 16:05
S17	4	((laser adj level\$1.ti.) ) and laser near3 diodes	US-PGPUB; USPAT	OR	OFF	2004/10/04 16:02
S18	4	((laser adj level\$1.ti.) ) and laser near3 diodes	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 16:02
S19	27	((laser adj level\$1.ti.) ) and laser near3 diode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 16:02
S20	237329	(laser adj level\$1 and laser diodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 16:06
S21	143	(laser adj level\$1 and laser near3 diodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 16:06
S22	49	((laser adj level\$1 and laser near3 diodes) ) and rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/04 16:27
S23	1	("4854703").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/04 16:27
S24	0	("lasernear3level\$3").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/06 12:05

S25	16474	laser near3 level\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/06 12:05
S26	14067	laser near3 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/06 12:06
S27	1	("5754582").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/06 12:06
S28	0	("lasernear3levelwithrotat\$4").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 11:00
S29	377	laser near3 level with rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 13:00
S30	78	laser near3 level near3 rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:44
S31	86	laser near3 level with rotat\$4 and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 13:01
S32	1	("4907879").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/15 13:19
S33	1025	372/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:30
S34	51	S33 and laser near3 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:29
S35	4	S33 and laser near3 level with rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:29

S36	23	S33 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:30
S37	1522	372/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:31
S38	48	S37 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:31
S39	1262	372/99.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:32
S40	48	S39 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:32
S41	333	372/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:33
S42	17	S41 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:33
S43	499	372/101.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:35
S44	24	S43 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:35
S45	838	372/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:40

S46	31	S45 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:40
S47	365	33/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:43
S48	18	S47 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:43
S49	88	33/273.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:43
S50	3	S49 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:44
S51	904	33/286.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:56
S52	76	S51 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 16:57
S53	394	33/290.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 17:53
S54	32	S53 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 17:53
S55	904	356/399.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 17:53

S56	9	S55 and laser near3 level and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/15 17:53
S57	338	laser near3 level and motor and shaft and laser near3 diode and rotat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:11
S58	1859	laser near3 level and laser near3 diode and rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:12
S59	16	laser near3 level and reference near3 plane and ((dual or two or plural\$3 or multiple) near3 laser near3 diode\$1) and rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:13
S60	137	laser near3 level and reference near3 plane\$1 and (laser near3 diode\$1) and rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:20
S61	3	laser near3 level and reference near3 plane\$1 and ((laser near3 diode\$1) with ("90" near3 degree\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:21
S62	6	laser near3 level and reference near3 plane\$1 and ((laser near3 diode\$1) same ("90" near3 degree\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:21
S63	57	laser near3 level and reference near3 plane\$1 and ((laser near3 diode\$1) and ("90" near3 degree\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:23
S64	6	laser near3 level and reference near3 plane\$1 and ((laser near3 diode\$1) with ("90"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:24
S65	16	laser near3 level and reference near3 plane\$1 and ((laser near3 diode\$1) same ("90"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:24
S66	18	laser near3 level and reference near3 plane\$1 and ((laser near3 diode\$1) with ("90" or perpendicular))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:25
S67	57	laser near3 level and reference near3 plane\$1 and ((laser near3 diode\$1) same ("90" or perpendicular))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:26

S68	20	S67 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:25
S69	54	laser near3 level and reference near3 plane\$1 and (laser near3 diodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:29
S70	0	laser near3 level and reference near3 plane\$1 and (laser near3 diodes near3 perpendicular)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:29
S71	42	laser near3 level and reference near3 plane\$1 and (laser near3 diode\$) and ((dual or plural\$3 or multiple) near3 beam\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:30
S72	19	laser near3 level near3 reference near3 plane\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:46
S73	1	laser near3 level with dual near3 beam\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:47
S74	8	laser near3 level\$3 with dual near3 beam\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:47
S75	15	laser near3 level\$3 same dual near3 beam\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/16 09:47
S76	137	laser near3 level\$3 and dual near3 beam\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/16 10:01
S77	1	("5400514").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/16 10:01
S78	1	("5754582").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/19 12:58
S79	1	S78 and battery	US-PGPUB; USPAT	OR	OFF	2005/08/19 12:59
S80	1	S78 and battery and case	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:00

S81	1	S78 and battery and case and module	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:05
S82	1	("5400514").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:05
S83	0	S82 and module and battery	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:05
S84	0	S82 and battery	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:05
S85	1	S82 and batter\$3	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:06
S86	0	S82 and batter\$3 and module	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:06
S87	1	S82 and batter\$3	US-PGPUB; USPAT	OR	OFF	2005/08/19 13:06